



### YOU'RE HOME NOW



Close the door and take the day off your shoulders. Whatever life throws at you, it's all fine.

### YOU'RE HOME NOW



Sleep soundly with our Secured by Design police approved cylinder



### YOU'RE HOME NOW





Our police-approved, 'secured by design' anti-bump, anti- drill, anti-pick and antisnap Kitemarked cylinder lock barrels are fitted as standard to every Apeer door. And if that isn't enough to put off even the most determined criminal, our triple glazed, anti-tamper glazing system will.

# SECURED by design\*



**Locking System** Multi-point locking system is fitted as standard to reinforce the concept of safety in your home.



**Steel Hinge Bolts** Steel hinge bolts secure the door to the frame on Apeer70 only, protecting against intruders.

\* Secured by Design doors must be ordered with laminated glass.



Steel Hinge Bolts



Multi-point locking system

Slam Lock



**Coupling Bar** Sidelights are coupled with aluminium bar for greater security, rigidity and stability.



**Glazing Units** Apeer70 doors have triple glazed units as standard.



Apeer Traditonal Glazing System Matching timber-effect raised mouldings fitted to the inside of the door and covers our reinforced, fully insulated toughened glazed units.



Yale Locking System 2 rollers, 3 hooks, 2 deadbolts and 1 latch, high security system protects your family from intruders.



Kitemark Cylinder Anti-bump, anti-drill, anti-pick and anti-snap Kitemarked cylinder lock barrels are fitted as standard.



**Hinges** Flag or butt hinges are fitted to Apeer70 doors to allow for adjustment.





In order to ensure the best quality accessories are used on Apeer doors, New World reserves the right to replace any of the above options as required. Hardware comes with manufacturer's warranty. Please note the high level slam lock is not suitable for all users and we recommend you check with your supplier before final order sign off. Take it easy with our low maintenance colour match wood grain finish

### YOU'RE HOME NOW





Our low-maintenance, highly robust colour finish is designed to stay looking good year after year, both on the outside and on the inside. Choose the perfect colour for the exterior of your home and match it with the perfect colour for the inside.

# COLOUR by design



### **Colour Matching**

Our manufacturing process allows us the flexibility to colour match your complete door entrance system, inside and outside. Colour choices are not restricted to white frames, or to a white only finish on the inside.



**RAL/BS** For a bespoke colour finish simply bring along a RAL or BS colour reference.

#### Standard **Colour Range**



Steel Blue (Renolit 5150-05-167)



Dark Red (Renolit 3081-05-167)



Rosewood (Cova 49186-011 Piedmont A)

### Premium **Colour Range**



BS20C33



Traffic Red (RAL 3020)



Pale Lime (BS12E51)



Oak (Cova 49158-011)



White (Halo System 10 Rustique 2 Smooth Frame Finish)



Apeer Cream 2 (Renolit Exofol PX 46835-101100)







Green Mist (BS12B17)



Light Blue (RAL 5012)



Burgundy (Renolit 3005-05-167)



Chartwell Green (Renolit 49246 - 101100)



Anthracite Grey (Renolit 49122-011)







Pale Lilac (BS24C33)



Orchid Pink (BS04C33)



Halo Foiled White (Halo System 10 Rustique 2 Renolit Exofol PX 02.20.91.000001-116801 Grained Frame Finish)



Dark Green (Renolit 6125-05-167)



Apeer Black 2 (Renolit Exofol MX 49116-101100)





Traffic Purple

(RAL 4006)



Light Grey (Renolit 725105/167 -MXS0067


\* Metallic Colours are not available. There is an extra charge for Premium and RAL/BS colours.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. For exact colour matching please request a sample from your approved supplier before purchase. Please note the grain on the GRP Apeer door does not replicate the grain on the GRP Apeer door does not replicate the grain on the GRP coloured film in glass designs is not an exact match to the door colour.

Stay snug with double protection from draughts with our double rebate




YOU'RE HOME NOW






Did you know that much like your washing machine or your fridge freezer, your front door can be energy rated too? So, when we created our flagship product the Apeer70, we used the very latest in design and materials to help keep the heat in and the cold out; creating one of the most energy efficient doors available.

## A-RATED by design



**Double Rebate** Apeer70's double rebate system adds additional draught protection by creating an internal secondary rebated seal.



Triple Glazed\*

For better insulation every Apeer70 is equipped with toughened triple glazed units and Apeer44 with double glazed units. Glazed units are also available with Low E glass and can be gas filled to offer improved thermal performance.


\*Low E glass is only available in clear.



### Choose from either one of our two main formats - Apeer70 and Apeer 44\*



### YOU'RE HOME NOW



### Apeer

Apeer may come in two formats, but the principles behind each remain the same. Whether you choose the 70mm thick, double rebate Apeer70, or the ingenuity of the 44mm thick, single rebate Apeer44, both perform exceptionally well in terms of energy efficiency, security and appearance.

## DIFFERENT by design

#### Apeer 70

70mm of high density polyurethane foam, extra insulating double rebate, GRP inner frame, handmade triple glazed decorative units, double steel hinge bolts Kitemark version available, lifelike grain.

#### Apeer 44

44mm of high density polyurethane foam, handmade double glazed Q Seal warm edge Super Spacer system, matched timber effect raised mouldings, flush fit, lifelike grain. (Apeer44 doors are not available in the contemporary style.)

\*Cutout shows Apeer70 on left and Apeer44 on right. The door codes featured in the brochure refer to Apeer70. For Apeer44 single rebate door codes change the code prefix to MO instead of AP, eg APA1 becomes MOA1.









### APEER 70 TRADITIONAL

Introducing our range of doors with traditional features and glass elements





### APA1 LO64



See p84 for fused tile options.









APA3 LF549

**APA3 FT14** Fused tile and sandblasted design. See p84 for fused tile options

APA2 BO510
















APC2 BO508

**APC2 GB** Internal Georgian Bar.

APC3 BO501







#### APG3 BO506

Please note the minimum sidelight width required for this bevel design to fit is 270mm



**APG3 FT31** Fused tile and sandblasted design. See p84 for fused tile options.





APG Apeer 70 Traditional



APG3 BF502



### APG3 FT25

Clear glass in sidelights and toplight. All sidelights are available with a decorative design to match the door glass or with clear/clear or clear/obscure glass. Sidelight design to match FT25 will depend on the sidelight width.








APL2 LF517



APL2 BO510 Door shown in Porcelain Blue.









APL2 BO500
















APM2 BO500



APM2 LF515







**APM2 FT14** Fused tile and sandblasted design See p84 for fused tile options.



**APM2 FT27** See p84 for fused tile options.



APM2 LF549



**APM2 BO510** 

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer/20 doors are triple glazed as standard. All Apeer/4 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the GRP Apeer door does not replicate the grain on the GRP with Coloured film in glass designs is not an exact match to the door colour.








APS2 BF505



### APS2 BF504







### APT2 BO506\*

\* Sidelight design to match B0506 will depend on the sidelight width.



### APT2 BF502



### APT Apeer 70 Traditional







### **APT2 BO7\***

Pic shows clear glass in sidelight. All sidelights are available with a decorative design to match the door glass or with clear/clear or clear/obscure glass.

\* Sidelight design to match B07 will depend on the sidelight width.



APT2 FT27 Fused tile and sandblasted design See p84 for fused tile options.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil.










APY Apeer 70 Traditional




APY2 BO7\*



#### APY2 LF35\*

\*Sidelight and toplight designs will depend on sidelight + toplight width and may vary from design shown





**BF571** Glue chip film design

Lever Handles (Door only inc. frame)

**Width** 720mm - 1088mm

#### Height

Stepped Threshold: 2007 - 2247mm MDS25/80 Threshold: 2008 - 2248mm Low PVC Threshold: 2019 - 2259mm Full PVC Threshold: 2035 - 2275mm

AV2 Lock (Door only inc. frame)

Width

722mm - 1088mm

#### Height

Stepped Threshold: 2017 - 2247mm MDS25/80 Threshold: 2018 - 2248mm Low PVC Threshold: 2029 - 2259mm Full PVC Threshold: 2045 - 2275mm

Check Doorbuilder technical manual or website for full size details.



#### Slam Lock System

Contemporary pull handles and escutcheon plates are fitted with Slam Lock systems. APP4 doors can also be fitted with traditional lever handles and locking system.

The Slam Locking system is not available with split handle.

Letterboxes can be fitted to APP4 doors to the lower section of the door as standard.



**APP4 SB15** Sandblasted design with clear circles.



**APP4** House number sandblasted in top pane only. All other panes are clear.



**APP4 FT50** Fused tile only, no sandblast in glass design



**APP4 BF571** Glue chip film design; see pic.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Please refer to our Doorbuilder technical manual or website for full sizing details. There are restrictions on door style, lock and handle. Door sizes also depend on sidelight and toplight combinations. Glass designs is not an exact match to the door colour.

The APTS36 and APTS37 doors are designed to capture the effervescence of the Dublin street scene in 1800's when chic new Georgian homes were being developed with strict architectural guidelines and residents personalised their homes with bright, colourful front doors. At that time, each building maintained the same uniform look and lacked any originality.

APTS36 and APTS37 are available in any colour combination from the standard and premium colour ranges. More glass designs coming soon!



**APTS36 FT82** Fused tile and sandblasted design



**APTS37 FT81** Fused tile and sandblasted design





# **Stable Doors**

The Stable Door has all the security and style of a high quality double rebate Apeer70 door, but with a rustic look that's perfect for both contemporary and classic houses.



#### APG4 FT48

Fused tile and sandblasted design. See p84 for fused tile options.

#### Full uPVC Frame Threshold

Max frame 986 x 2273 sash 900 x 2187 Min frame 806 x 2033 sash 720 x 1947

### Mobility Threshold (15mm)

Max frame 986 x 2250 sash 900 x 2187 Min frame 806 x 2010 sash 720 x 1947

\* Hinge bolts are not available on stable doors.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer7d doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour. Stable doors are not suitable for extremely exposed locations.

Low uPVC FrameThreshold

Max frame 986 x 2257

Min frame 806 x 2017 sash 720 x 1947

sash 900 x 2187





# Stable Doors

The new Apeer Stable Door has all the security and style of a high quality double rebate Apeer70 door, and is now fully tongue and groove.





SD2 RG45 Tahoe Blue

SD36 Stippolite backing glass






SDO No Glass

SD37 Stippolite backing glass

\* Hinge bolts are not available on stable doors.





# French-Style Double Doors

These striking French-Style Double Doors have all the security, energy efficiency and style of an Apeer70 door, only twice over. With a double rebate and the option of triple glazed units, you can create the perfect double doors for your home.









**Stepped Threshold** Max frame 1892w x 2247h sash 900 x 2187 Min frame 1532w x 2007h sash 720 x 1947

**Full uPVC Frame Threshold** Max frame 1892w x 2273h sash 900 x 2187 Min frame 1532w x 2033h sash 720 x 1947

### Low uPVC Frame Threshold


Max frame 1892w x 2257h sash 900 x 2187 Min frame 1532w x 2017h sash 720 x 1947

Check manual for APP4 double door sizes.

Double doors are available with most Apeer70 door styles.

APTS26, APTS29 and APTS21 are not available as double doors.

Double doors open inward only.





# APEER 70 CONTEMPORARY

Introducing our contemporary door styles with a range of glass designs and stainless steel furniture



Door: APTS2 Glass: RG45 Tahoe Blue



Door: APTS2 Glass: RG46 Elegance



Door: APTS2 Glass: RG47 Abstract



Door: APTS4 Glass: SB27



Door: APTS4 Glass: RG20 Tahoe Black

\* Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles. \* Please note RG glass designs are only available as shown and cannot be changed by Apeer.

Door: APTS33 Shown in light grey. Glass: SB27 Letterbox not available on this door style.

S. Gali

(







Door: APTS26 Glass: RG53 Symphony Letterbox not available on this style.



Door: APTS33 Glass: Satin Letterbox not available on this style.



Door: APTS13 Glass: SB18

Door: APTS24 Glass: FT55

\* Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles. \* Please note RG glass designs are only available as shown and cannot be changed by Apeer.





Door: APTS35 Glass: FT43



Door: APTS11 Glass: SB20 Fully sandblast panes in upper and lower glass units and clear squares in the centre glass unit.







Door: APTS5 Glass: FT45



Door: APTS32 Glass: RG23 Murano Blue













Door: APTS33 Glass: SB27 Letterbox not available on this style.



Door: APTS16 Glass: RG21 Reflections



Door: APTS17 Glass: Clear

\* Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles. \* Please note RG glass designs are only available as shown and cannot be changed by Apeer.



Door: APTS33 Glass: RG20 Tahoe Black Letterbox not available on this style.



#### Door: APTS5 Glass: RG51 Bullseye



Door: APTS29 Glass: RG56 Tahoe Blue Letterbox not available on this style.



Door: APTS6 Glass: FT50 No sandblast.



Door: APTS6 Glass: RG18 Prairie

Door: APTS6 Glass: RG35 Reflections

\* Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles. \* Please note RG glass designs are only available as shown and cannot be changed by Apeer.







Door: APTS31 Glass: Satin



Door: APTS21 Glass: Diamond Lead Letterbox not available on this style. Size of diamond: 100 x 150mm.



Door: APTS20 Glass: RG1 Simplicity



Door: APTS19 Glass: RG34 Abstract

\* Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles. \* Please note RG glass designs are only available as shown and cannot be changed by Apeer.





Door: APTS23 Glass: SB26 Fully Sandblast



Door: APTS22 Glass: RG62 Reflections



Glass: RG23 Murano Black

\*Letterbox not available on this style



Door: APTS33\* Glass: RG20 Tahoe Black



Tahoe Black Tahoe glass fused tile with a stainless steel surround. See P72 for colour options.







Door: APTS30 Glass: RG34 Abstract



Door: APTS28 Glass: RG20 Tahoe Purple





Door: APTS34 Glass: RG45 Tahoe Green

\* Please note there are restrictions on the sidelight options available for RG glass, see page 73 for more details. All APTS doors available with contemporary handles or traditional lever handles. \* Please note RG glass designs are only available as shown and cannot be changed by Apeer.

Door: APTS26 Glass: RG54 Linear






# APEER 70 THE SILKA COLLECTION

Introducing our range of smooth skin doors with the choice of steel glazing trims or all-glass glazing trims and contemporary furniture The Silka collection has all the security, durability and energy efficiency you've come to expect from an Apeer door.



**Steel Glazing Trims** Styles SFG1 - SFG6



SFG1

SFG2






All-glass Trims Styles SFG7 + SFG8



Please note 'Tea staining' on stainless steel components is common and is caused by the oxidisation of surface contaminants on stainless steel. It does not affect the structural integrity or the longevity of the material and regular cleaning of the stainless steel trims will reduce the likelihood of tea staining.




# **Handle Options**




**Option 1** Outside – bar handle + round escutcheon plate

Inside – Karcher lever handle + round escutcheon plate



**Option 2** Outside – finger pull handle + round escutcheon plate

Inside – Karcher lever handle + round escutcheon plate



Option 3

Outside – Karcher lever handle + round escutcheon plate

Inside – Karcher lever handle + round escutcheon plate

Please note: The Silka range is available with the waist high locking system only



Bar handle + round escutcheon plate



Finger pull handle + round escutcheon plate: (thumbturn available)



Karcher lever handle





Chamfered Door Frame



# APEER 70 THE MODO COLLECTION

Introducing our modern doors with stainless steel trims with a range of glass designs and stainless steel furniture The Modo collection has all the security, durability and energy efficiency you've come to expect from an Apeer door.









AMD4





**Chamfered Frame** 

**Sculptured Frame** 



AMD6

AMD7

AMD8

# Now with a choice of chamfered or sculptured frame

- Chamfered frame colours are limited to Black, Anthracite grey, Light grey, Cream or White.
- AMD20 + AMD21 are not available in White.
- Handle options for Modo doors with a chamfered frame are the same waist high options as Silka - see page 66 for more details.

2019

AMD9







AMD20

2019 AMD21

All Modo doors excluding Double doors are available with lever handles or contemporary handles. Double doors are only available with lever handles.

Please note 'Tea staining' on stainless steel components is common and is caused by the oxidisation of surface contaminants on stainless steel. It does not affect the structural integrity or the longevity of the material and regular cleaning of the stainless steel trims will reduce the likelihood of tea staining.

AMD2 ST61 glass design in the door (ST61 has clear glass on left side of the black resin line and sandblast on right side); SB27 sandblast with clear border in sidelights.

.

instally.

THE MUSICE STREET, DIRECTOR





**AMD9 ST61** in door; SB27 sandblast with clear border in sidelights and toplight.



AMD4 FT66



**AMD5 SB32** in door; SB27 sandblast with clear border in sidelights and toplight. SB32 glass design - clear leaves on a sandblasted background.







AMD10 FT66



**Steel Glazing Trims** Not only do the steel glazing trims give a contemporary look on both sides of the door, they're also an added security feature.

AMD8 FT72







# THE LUMI RANGE

# lumi

A pioneering new glazing system with radically different looks and exceptional energy efficiency performance

lumiwindows.com | sales@lumiwindows.com | 03300415014

Lift-Slide Doors French Doors Composite Doors Glazed Doors Rooflights









Fully Glazed Entrance Door Anthracite Grey



**2 Panel French Door** Anthracite Grey



### The Lumi Range





LD5 Light Grey



LDO Anthracite Grey



For more information see lumiwindows.com or contact us at sales@lumiwindows.com or 03300415014


行

9

81

#### **Door Accessories**

To complement our Apeer doors, we offer a range of high quality door furniture and door hardware. All door accessories are covered by a four-year surface finish guarantee.



#### Contemporary Door Handles (only available in stainless steel)

1800mm 1200mm 600mm 'Bow' Handle 'D' Handle Contemporary handles are only compatible with Slam Locks. **Escutcheon Plate** 



Also available in brass

Karcher Lever handle




Available on most door styles and can be used internally with a bar handle externally.

**Finger Pull** 



Also available in brass

In order to ensure the best quality accessories are used on Apeer doors, New World reserves the right to replace any of the above options as required. Hardware comes with manufacturer's warranty. Please note the high level slam lock is not suitable for all users and we recommend you check with your supplier before final order sign off.



In order to ensure the best quality accessories are used on Apeer doors, New World reserves the right to replace any of the above options as required. Hardware comes with manufacturer's warranty.

#### **Glass Options**

With our Murano and Tahoe (RG Codes) glass designs you can co-ordinate the colour of the decorative glass to complement your choice of door colour.



#### **Backing Glass Options**


All of the door designs (except RG glass codes) featured throughout the brochure can be backed with a range of obscure glass to suit all requirements for energy efficiency, safety and privacy. This is our standard range but we can offer more styles upon request. Please note there may be an additional charge for non standard obscure glass patterns. There is no choice of backing glass for any of the RG glass code designs shown.



Please note colour changes must be specified on the order form.









Flemish or equivalent



Minster or equivalent



Cotswold or equivalent







Satin or equivalent

Please note Flemish glass once toughened can have a haze effect in the pattern, this is a normal part of the toughening process and is acceptable

Contour or equivalent

\* Please note: The fused tiles in Murano and Tahoe glass designs are not an exact match to the door colour. The process in manufacturing all the fused tiles in our designs may lead to small air bubbles being present in the tile. This is a normal part of the fusing process and is acceptable

Whilst care is taken to ensure that this brochure is as up-to-date and accurate as possible, no responsibility can be taken by New World for any errors or omissions contained herein. In order to meet customer demand New World reserves the right to change the supplier of patterned glass without prior notice.

#### **Sidelights and Toplights**

All decorative glass designs shown in doors with the RG code are available with a choice of sidelight and toplight options as shown. Due to the unique construction of the RG glass it is not possible to create matching sidelights or toplights. RG glass includes: Abstract, Bullseye, Classic, Clarity, Diamond Cut, Dorchester, Elegance, Linear, Matrix, Prairie, Reflections, Royale, Simplicity, Symphony and Tahoe.



Clear on Clear



Satin Backing Glass



Gluechip Toplight



Sandblasted with Clear Border (SB27)



Gluechip



six standard glass patterns)

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. Glass designs shown in sidelights may vary depending on sidelight width. Coloured film in glass designs is not an exact match to the door colour.



#### Dimensions

Please refer to our Doorbuilder technical manual or website for full sizing details. There are restrictions depending on door style, lock and handle. Door sizes also depend on sidelight and toplight combinations.

#### Apeer70 Traditional



#### Lever Handles (Door only inc. frame) Width

808mm - 988mm

#### Height

Stepped Threshold: 2007mm - 2247mm MDS25/80 Threshold: 2008mm - 2248mm Low PVC Threshold: 2019mm - 2259mm Full PVC Threshold: 2035mm - 2275mm

## Apeer70 Contemporary



#### Lever Handles (Door only inc. frame)

Width

\*702mm - \*1088mm

\*Minimum and maximum width only available on certain styles

#### Height

Stepped Threshold: \*\*1775mm - 2247mm MDS25/80 Threshold: \*\*1776mm - 2248mm Low PVC Threshold: \*\*1787mm - 2259mm Full PVC Threshold: \*\*1803mm - 2275mm

\*\*Minimum height only available on certain styles

#### Slam Lock (Door only inc. frame)

Escutheon plate only. Bar handles only available on APP1, APP2, APY1 + APY2.

#### **Width** 812mm - 988mm

#### Height

Stepped Threshold: 2017mm - 2247mm MDS25/80 Threshold: 2018mm - 2248mm Low PVC Threshold: 2029mm - 2259mm Full PVC Threshold: 2045mm - 2275mm

Check Doorbuilder technical manual or website for full size details.



#### Slam Lock (Door only inc. frame)

**Width** \*706mm - \*1088mm

\*Minimum and maximum width only available on certain styles and is restricted by type of contemporary handle

#### Height

Stepped Threshold: 2017mm - 2247mm MDS25/80 Threshold: 2018mm - 2248mm Low PVC Threshold: 2029mm - 2259mm Full PVC Threshold: 2045mm - 2275mm

Please note letterboxes are restricted on certain heights on Apeer70 Contemporary styles

Check Doorbuilder technical manual or website for full size details.

Whilst care is taken to ensure that this brochure is as up-to-date and accurate as possible, no responsibility can be taken by New World for any errors or omissions contained herein. In order to meet customer demand New World reserves the right to change the supplier of patterned glass without prior notice.

#### Apeer70 The Modo Collection



#### Lever Handles (Door only inc. frame)

Door only inc. frame

**Width** \*722mm - 1088mm

\*Minimum and maximum width only available on certain styles

#### Height

Stepped Threshold: \*\*1929mm - 2247mm MDS25/80 Threshold: \*\*1930mm - 2248mm Low PVC Threshold: \*\*1941mm - 2259mm Full PVC Threshold: \*\*1957mm - 2275mm

\*\*Minimum height only available on certain styles

Slam Lock (Door only inc. frame)

Width

\*778mm - 1088mm

\*Minimum width only available on certain styles and is restricted by type of contemporary handle

#### Height

Stepped Threshold: 2017mm - 2247mm MDS25/80 Threshold: 2018mm - 2248mm Low PVC Threshold: 2029mm - 2259mm Full PVC Threshold: 2045mm - 2275mm

Check Doorbuilder technical manual or website for full size details.

#### Apeer44 Traditional



Lever Handles (Door only inc. frame) Width

793mm - 1013mm

#### Height

MD525/80 Threshold: 2006mm - 2263mm Low PVC Threshold: 2027mm - 2284mm Full PVC Threshold: 2043mm - 2300mm

Apeer44 doors are only available with lever handles.

#### **Threshold Options**

#### Apeer 70



Stepped Aluminium Threshold (25mm) Distance from bottom of door leaf to bottom of threshold 18mm



Mobility Access Threshold MDS80/2 (15mm) Distance from bottom of door leaf to bottom of threshold 18mm



Wheelchair Access Threshold MDS25/5/2 (15mm) Distance from bottom of door leaf to bottom of threshold 18mm



uPVC Full Frame Threshold Distance from bottom of door leaf to bottom of threshold 43mm



uPVC Low Frame Threshold Distance from bottom of door leaf to bottom of threshold 27mm

#### Apeer44



Mobility Access Threshold MDS80/2 (15mm) Distance from bottom of door leaf to bottom of threshold 18mm



Wheelchair Access Threshold MDS25/5/2 (15mm) Distance from bottom of door leaf to bottom of threshold 18mm



uPVC Full Frame Threshold Distance from bottom of door leaf to bottom of threshold 56mm



uPVC Low Frame Threshold Distance from bottom of door leaf to bottom of threshold 42mm

Whilst care is taken to ensure that this brochure is as up-to-date and accurate as possible, no responsibility can be taken by New World for any errors or omissions contained herein. All measurements must be verified by surveyor on site. Drainage options only apply to PVC thresholds. Mullions and toplights are face drained as standard.

#### Half Panel Sizing Apeer70 - APHP1

Apeer44 - MOHP1





Min width - 275mm

Min height - 702mm Max width - 550mm

Max height - 915mm

Quarter Panel Sizing

430

88C

Flat Panel Sizing

Apeer70 - APFE

Apeer44 - MOFE

Max width - 430mm Max height - 880mm

Min width - 593mm Min height - 702mm Max width - 900mm Max height - 1000mm

#### **Coupling Bar**

All Apeer door and sidelight photos in this brochure are shown with coupling bar.

They are also available as a fully welded option. Carriage surcharge may be applicable.

Please note all doorsets over 1500mm must be coupled for greater rigidity, stability and durability.



#### Installation

Apeer doors should only be fitted by approved installers. To find your nearest installer please email your enquiry through our website with your address. www.apeer.co.uk

#### Further Technical Information

For more details on sizes please download the technical manual on our website or on our Door Builder software.

Whilst care is taken to ensure that this brochure is as up-to-date and accurate as possible, no responsibility can be taken by New World for any errors or omissions contained herein. All measurements must be verified by surveyor on site.

#### 89

#### **Traditional Door Styles**

#### **Contemporary Door Styles**

Only available as Apeer70 double rebate.

Available in Apeer70 double rebate (AP) and Apeer44 single rebate (MO).







APA / MOA



APL / MOL



APS / MOS



APY / MOY

APT / MOT



APP4 / MOP4

.







APTSO

APTS2





APTS17



1 -1 APTS29

7

1 -



APTS30

APTS19

All traditional styles are available as solid doors with no glass.

Whilst care is taken to ensure that this brochure is as up-to-date and accurate as possible, no responsibility can be taken by New World for any errors or omissions contained herein. All measurements must be verified by surveyor on site.









.

APTS11



F





APTS16



APTS31



APTS32

APTS22

APTS33







APTS36



APTS37



APTS35



APTS34





New World Woodside Industrial Estate Woodside Road Ballymena, Co. Antrim Northern Ireland BT42 4HX

T: 028 2563 2200 F: 028 2565 9334 sales@apeer.co.uk

T: 048 2563 2200 (ROI) F: 048 2565 9334 (ROI)



Apeer is a registered brand of New World Developments Ltd.

New World reserves the right to make alterations to any of the featured products without prior notice.

August 2019